

Model Number		24S025	24S050	24S088	24S200
<b>Performance</b>					
Nominal Compressor	HP	.33	.50	1	2.5
Net Cooling Capacity*					
@ 70 Deg F Ambient	BTUH	3300 / 3650	5600 / 6050	8400 / 9100	16200 / 17750
@ 80 Deg F Ambient	BTUH	3000 / 3300	5300 / 5700	7800 / 8450	15200 / 16550
@ 90 Deg F Ambient	BTUH	2800 / 3050	4850 / 5275	7300 / 7900	14100 / 15350
<b>Controls</b>					
Type		Room mounted non-programmable thermostat			
Accuracy		± 2°F			
<b>Evaporator Section</b>					
Fan Motor Size	Watts	75	100	195	240
Rated Air Flow	CFM	235	430	510	740
Air Flow with 25' flex duct	CFM	207	400	485	715
<b>Air-cooled Condenser Section</b>					
Fan Size	Watts	75	100	195	240
Rated Air Flow	CFM	253	400	500	750
Air Flow with 25' flex duct	CFM	220	365	475	720
<b>Water-cooled condenser Section (option)</b>					
Water usage at 40 Deg F rise	GPM	0.30	0.60	1.20	2.50
Pressure drop	PSI	0.40	0.40	0.85	1.20
Pipe connection size (in/out)	Inches	0.50	0.50	0.50	0.50
<b>Heat</b>					
Type		Integral electric heater coil			
Capacity	Watt/btuh	1000/3413	1000/3413	2000/6826	2000/6826
Temperature rise - including fan	Deg F	13.5	8.6	12.0	8.1
<b>Humidifier</b>					
Type		Removable Drip pad with integral fan			
Supply water temp of 60 Deg F	gal./day	1.6			
Supply water temp of 90 Deg F	gal./day	3.5			
Supply water temp of 120 Deg F	gal./day	5.1			
Control		Cellar mounted digital humidistat			
<b>Electrical Requirements</b>					
Power Requirements	V/P/H	115/1/60	115/1/60	230/1/60	230/1/60
Current Draw - Cooling mode	Amps	8.6	11.9	9.0	16
Current Draw - Heating mode	Amps	9.4	9.6	9.6	10
Minimum Circuit Size	Amps	15	15	15	20
Optional Low Ambient	Amps	0.4	0.4	0.2	0.2
Optional Humidifier	Amps	0.3	0.3	0.2	0.2

1. Net cooling capacity at entering temperature and humidity conditions of 55 Deg F and 60 % RH / 60 Deg F and 60% RH and at rated airflow. Reduce capacity by 3% for each 10% reduction in either condenser or evaporator airflow, 5% for both.
2. Wine Guardian reserves the right to make changes to this document without prior notice at its sole discretion.
3. All ratings at sea level.